

# Roman Blind Systems




# Application Chart

Specification	Dimensions				Operation	Profile	Features/ Options	Fitting Options	Fitting Surfaces	System					
	Weight Range	max.	max.	m <sup>2</sup> max.		kg max.	Profile Number	Radio Control	Easy Cleaning		Child Safety Device	Ceiling Fix	Wall Fix	Wood	Concrete
	3m	3m	9m <sup>2</sup>	2.5kg		2321 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2320
	2.5m	3m	7.5m <sup>2</sup>	3kg		2116 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2020
	3m	3m	9m <sup>2</sup>	4.5kg		2321 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2330
	4m	6m	24m <sup>2</sup>	8kg		2211 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2120
	6m	6m	n/a	2.5kg		2351 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2345
	6m	6m	36m <sup>2</sup>	15kg		2351 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2350


## Headrail Options

Roman Soft Fold




Fabric requirements:  
Height + 20 cm  
Width + 15 cm  
Approx. stack when open:  
20 / 35 cm

Roman Hard Fold




Fabric requirements:  
Height + 20 cm  
Width + 15 cm  
Approx. stack when open:  
25 / 35 cm

Roman Semi-Hard Fold




Fabric requirements:  
Height + 20 cm  
Width + 15 cm  
Approx. stack when open:  
25 / 35 cm

Austrian



Fabric requirements:  
Height x 2  
Width + 10 / 15 cm per wave  
Approx. stack when open:  
40 / 50 cm

Festoon



Fabric requirements:  
Height + 200 / 300%  
Width x 2  
Approx. stack when open:  
40 / 50 cm



[www.silentgliss.co.uk](http://www.silentgliss.co.uk)

[www.silentglissglobal.com](http://www.silentglissglobal.com)

Silent Gliss Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: +44 (0) 1843 863571  
Fax: +44 (0) 1843 864503  
[info@silentgliss.co.uk](mailto:info@silentgliss.co.uk)

Silent Gliss Global Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: +44 (0) 1843 874250  
Fax: +44 (0) 1843 874457  
[info@silentglissglobal.com](mailto:info@silentglissglobal.com)