

Venetian Blind Systems



Application Chart

Operation	Dimensions				Features / Options								Fitting Options		Fitting Surfaces			System		
	min	max	max	m ² max	Alu (A) / Wood (W) / Leather (L)	Fabric Tapes	Side Guide available	Slat widths (mm)	Mono operation	Radio Control	Perforated Slats (25mm only)	Dual action wand	Privacy (min light)	Child Safety Device	Ceiling Fix	Wall Fix	Wood		Concrete	Suspended Ceiling
	28cm	2.5m	2.5m	5m ²	A		●	16				●			●	●	●	●	●	8110
	28cm	3m	5m	7m ²	A			25			●		●							
	50cm	3m	3m	4.5m ²	A		●	16	●					●	●	●	●	●	8300	
								25		●										
	65cm	3m	3.4m	5m ²	A		●	16		●				●	●	●	●	●	8250	
								25		●										
	65cm	3.6m	3.6m	10m ²	A	●	●	50												8910
	65cm	2.43m	2.75m	4.6m ²	W	●	●	50	●					●	●	●	●	●		
	65cm	2.43m	2.75m	4.6m ²	L		●	50												
	65cm	3.6m	3.6m	10m ²	A	●	●	50												8960
	65cm	2.43m	2.75m	4.6m ²	W	●	●	50		●				●	●	●	●	●		
	65cm	2.43m	2.75m	4.6m ²	L		●	50												



www.silentgliss.co.uk

www.silentglissglobal.com

Silent Gliss Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: +44 (0) 1843 863571
Fax: +44 (0) 1843 864503
info@silentgliss.co.uk

Silent Gliss Global Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: +44 (0) 1843 874250
Fax: +44 (0) 1843 874457
info@silentglissglobal.com