


floral | pleated






	Article	Colour	Width in cm (minimal)	Coating (backside)	Transparency	Fire retardant	Material	Weight g/m²	Thickness mm	Washable hand/30*	Humid spaces	Colour- fastness	Reflection	Absorption	Transmission
	JOG-PL010	White	270	-	transparent	no	PES	76	0,30	yes	yes	5-7	31,7%	3,9%	64,4%
Floral	JOO-PL010	White	270	-	transparent	no	PES	76	0,30	yes	yes	5-7	31,7%	3,9%	64,4%
	JOP-PL010	White	270	-	transparent	no	PES	76	0,30	yes	yes	5-7	31,7%	3,9%	64,4%
	JOQ-PL010	White	270	-	transparent	no	PES	76	0,30	yes	yes	5-7	31,7%	3,9%	64,4%
	JOS-PL010	White	270	-	transparent	no	PES	76	0,30	yes	yes	5-7	31,7%	3,9%	64,4%
	JOT-RL010	White	270	-	transparent	NO	PES	76	0,30	yes	yes	5-7	31,7%	3,9%	64,4%
	JOU-PL010	White	270	-	transparent	no	PES	76	0,30	ves	ves	5-7	31,7%	3,9%	64,4%

floral





	Article	Colour	Width in cm (minimal)	Coating (backside)	Transparency	Fire retardant	Material	Weight g/m²	Thickness mm	Washable hand/30*	Humid spaces	Colour- fastness	Reflection	Absorption	Transmission
	JZB-PL010	White	285	-	semi-transparent	по	PES	184	0,33	yes	yes	7-8	71,2%	0,4%	28,4%
	JZG-PL010	White	285	-	semi-transparent	ПО	PES	184	0,33	yes	yes	7-8	71,2%	0,4%	28,4%
Floral	JZO-PL010	White	285	-	semi-transparent	ПО	PES	184	0,33	yes	yes	7-8	71,2%	0,4%	28,4%
	JZP-PL010	White	285	-	semi-transparent	ПО	PES	184	0,33	yes	yes	7-8	71,2%	0,4%	28,4%
	JZQ-PL010	White	285	-	semi-transparent	no	PES	184	0,33	yes	yes	7-8	71,2%	0,4%	28,4%
	JZS-PL010	White	285	-	semi-transparent	ПО	PES	184	0,33	yes	yes	7-8	71,2%	0,4%	28,4%
	JZT-PL010	White	285	-	semi-transparent	ПО	PES	184	0,33	yes	yes	7-8	71,2%	0,4%	28,4%

floral





	Article	Colour	Width in cm (minimal)	Coating (backside)	Transparency	Fire retardant	Material	Weight g/m²	Thickness mm	Washable hand/30*	Humid spaces	Colour- fastness	Reflection	Absorption	Transmission
	JBG-PL010	White	210	PES	black-out	NO	PES	250	0,56	yes	yes	7-8	76,4%	23,6%	0,0%
	JBO-PL010	White	210	PES	black-out	по	PES	250	0,56	yes	yes	7-8	76,4%	23,6%	0,0%
Floral	JBP-PL010	White	210	PES	black-out	no	PES	250	0,56	yes	yes	7-8	76,4%	23,6%	0,0%
	JBQ-PL010	White	210	PES	black-out	NO	PES	250	0,56	yes	yes	7-8	76,4%	23,6%	0,0%
	JBS-PL010	White	210	PES	black-out	no	PES	250	0,56	yes	yes	7-8	76,4%	23,6%	0,0%
	JBT-PL010	White	210	PES	black-out	no	PES	250	0,56	yes	yes	7-8	76,4%	23,6%	0,0%

floral



ing due

ortent of this publication.

Design in Detail



Jan Frederik Vlekkeweg 4 NL-5026 RJ Tilburg The Netherlands

Tel: +31 (0) 13-5930000 Fax: +31 (0) 13-4674802 www.agtextiles.com info@agtextiles.com